


(index.php)

ASA Globe Valves



ASA Globe Valves


Ratings :-150 #, 300 #, 600 #, 800 #, 900 #, 1500 # & PN 10 to PN 100

GLOBE VALVES - ASA 125

No.	Description	Quantity	Material
1	BODY	1	Cast Iron - GG25 / IS 210 Gr. FG 200 / 220
2	BONNET	1	Cast Iron - GG25 / IS 210 Gr. FG 200 / 220
3	GLAND PACKING	As Required	GRAPHITED ASBESTOS
4	GLAND PLATE	1	Cast Iron - GG25 / IS 210 Gr. FG 200 / 220
5	BODY RING	1	S.S.AISI 410 / Bronze
6	STOPPER	1	S.S.AISI 410 / Bronze
7	STUD & NUT	As Required	ASTM A 193 Gr. B7 & ASTM A 194 Gr.2H
8	SPINDLE	1	S.S.AISI 410
9	GASKET	1	CAF

ASA 125

SIZE NB	A	D	C	B	H
1/2"	108	89	11.2	102	175
3/4"	118	89	11.2	102	180
1	127	108	11.2	102	200
1 1/4"	140	117	12.7	140	200
1 1/2"	165	127	14.3	140	260
2"	203	152	16	203	330
2 1/2"	216	178	17.5	203	334
3"	241.5	190.5	19	254	395
4"	292	228.6	23.8	305	470
5"	356	254	23.8	305	510
6"	406.5	279.5	25.4	356	570
8"	495.5	343	28.6	406	642
10"	622.5	406.4	30	406	768
12"	698.5	483	32	508	770



Download! (pdf/GLOBEVALVEASA125.pdf)

Design Features / Options

- Manufacturing Standards - BS 1414 / API 600 / ANSI B 16.34
- Face to Face As Per ANSI B 16.14
- Testing As Per BS 6755 / API 598

TEST PRESSURE Kg / Cm2
 HYDROSTATIC

CLASS	Body	Seat & Back Seat	AIR Seat
125	24	14	6

- Also available with EXTENDED STEM
- Available with ACTUATOR OPERAION.
- Available with External Bypass Arrangement For Larger Sizes.

